UK PLUG-IN TIMERS **BAINIAN** SMART HOME







48 ON/OFF per day Without indicator With switch knob With children protector With grounded pin Min. Setting time: 15 minutes Max. Setting time: 24 hours 240V~, 50Hz, 13A



BND-50/E42 24 Hour Mini Mechanical Timer, IP20

24 ON/OFF per day Without indicator With switch knob With children protector With grounded pin Min. Setting time: 30 minutes Max. Setting time: 24 hours 240V~, 50Hz, 13A



BND-50/E39 24 Hour Mechanical Timer, IP20

48 ON/OFF per day With load indicator With switch knob With children protector With grounded pin Min. Setting time: 15 minutes Max. Setting time: 24 hours 240V~, 50Hz, 13A





BND-50/E11N 24 Hour Mechanical Timer, IP44

For outdoor use 48 ON/OFF per day Without indicator Without switch knob With children protector With grounded pin Min. Setting time: 15 minutes Max. Setting time: 24 hours 240V-, 50Hz, 13A



BNH-50/SE76 Repeat Countdown Timer, IP20

6 program options
Countdown time:
15 minutes/30 minutes/1 hour/
2 hours/4 hours/6 hours
With manual ON/OFF function
With repeat function
With children protector
With grounded pin
240V-, 50Hz, 13A



BNE-50/E85 Weekly Large LCD Digital Timer, IP20

20 ON/OFF per day
With LCD auto OFF function
With load indicator
With Ni-MH rechargeable battery
With random function
With daylight saving function
Min. Setting time: 1 minute
Max. Setting time: 7 days
With children protector
With grounded pin
240V~, 50Hz, 13A



BND-50/E70 24 Hour Mechanical Timer, IP44

For outdoor use 48 ON/OFF per day Without indicator Without switch knob With children protector With grounded pin Min. Setting time: 15 minutes Max. Setting time: 24 hours 240V-, 50Hz, 13A



BND-50/SE2 Weekly Digital Timer, IP20

8 ON/OFF per day
24 hours or AM/PM display
Without indicator
With children protector
With Ni-MH rechargeable battery
With summer/winter time
With random function
With grounded pin
Min. Setting time: 1 minute
Max. Setting time: 7 days
240V~, 50Hz, 13A



BND-50/SE36A Weekly Digital Timer, IP20

9 ON/OFF per day
24 hours & AM/PM display shiftable
With power and load indicator
With children protector
With Ni-MH rechargeable battery
With summer/winter time
With random function
With grounded pin
With countdown function:
countdown time:
100 hours to 1 second
Min. Setting time: 1 second
Max. Setting time: 7 days
240V~, 50Hz, 13A

UK SMART PLUGS BAINIAN SMART HOME









BNQ-50/E85J Large LCD Electronic Energy Consumption Monitor, IP20

Display of the A.C. voltage
Display of current(amps.)A
Display of Watt(W)
Display of VA
Display of the energy consumption in KWH
Display of frequency (HZ)
Display of total cost
Display of elapsed time
With children protector
With grounded pin
240V-, 50Hz, 13A



BNC-50/E78WT Wi-Fi Smart Plug, IP20

APP remote control
Up to 15 ON/OFF programs daily
With output indicator
With countdown function
With manual ON/OFF function
With children protector
With grounded pin
Amazon alexa and Google assistant control
Support 802.11b/g/n 2.4GHz Wi-Fi
240V-, 50Hz, 13A



BNC-50/E78WTJ Wi-Fi Smart Plug with Power Meter, IP20

APP remote control
Up to 15 ON/OFF programs daily
With output indicator
With countdown function
With manual ON/OFF function
With children protector
With grounded pin
Amazon alexa and Google assistant control
Support 802.11b/g/n 2.4GHz Wi-Fi
240V~, 50Hz, 13A

UK REMOTE CONTROL SOCKETS

BAINIAN SMART HOME



BNC-50/E88R-1-1 Remote Control Socket

One control one
Transmission frequency: 433.92MHz
Remote transmitter battery: DC 12V(23A)
Low power consumption: 0.6W
Remote control distance: 30M(open area)
With children protector
With grounded pin
240V~, 50Hz, 13A



BNC-50/E88R-1-3 Remote Control Socket

One control three
Transmission frequency: 433.92MHz
Remote transmitter battery: DC 12V(23A)
Low power consumption: 0.6W
Remote control distance: 30M(open area)
With children protector
With grounded pin
240V-, 50Hz, 13A



BNC-50/E88R-2-5 Remote Control Socket

Two control five
Transmission frequency: 433.92MHz
Remote transmitter battery: DC 12V(23A)
Low power consumption: 0.6W
Remote control distance: 30M(open area)
With children protector
With grounded pin
240V~, 50Hz, 13A






BNC-50/E88R-1-3 Remote Control Socket

One control three
Transmission frequency: 433.92MHz
Remote transmitter battery: DC 12V(23A)
Low power consumption: 0.6W
Remote control distance: 30M(open area)
With children protector
With grounded pin
240V~, 50Hz. 13A

UK SMART CONTROLLERS BAINIAN SMART HOME





BNC-50/E86WT Outdoor Wi-Fi Smart Plug, IP44

APP remote control
Up to 15 ON/OFF programs daily
With output indicator
With countdown function
With manual ON/OFF function
With dual socket
Amazon alexa and Google assistant control
Support 802.11b/g/n 2.4GHz Wi-Fi
240V-, 50Hz, 13A



BNQ-T8E(C)

UK Thermostat Controller, IP20

For cooling appliance
LED display
With power and mode indicators
Min. Display: 0.1 degree
Min. Setting: 1 degree
Temperature control range:
40 to 108°F(5 to 42°C)
Temperature display range:
32 to 140°F(0 to 60°C)
With program saving function after power off
240V~, 50Hz, 8.5A, 2000W



BNQ-T8E(H) UK Thermostat Controller, IP20

For heating appliance
LED display
With power and mode indicators
Min. Display: 0.1 degree
Min. Setting: 1 degree
Temperature control range:
40 to 108°F(5 to 42°C)
Temperature display range:
32 to 140°F(0 to 60°C)
With program saving function after power off
240V-, 50Hz, 8.5A, 2000W

UK USB EXTENSION LEADS

BAINIAN SMART HOME



BNPS-50/E80WT 3 Way Wi-Fi Power Strip with 4 ports USB

APP remote control
Three outlets individual control
Up to 15 ON/OFF programs daily
With output indicator
With surge protector
With earth protector
With manual ON/OFF function
Amazon alexa and Google assistant control
Support 802.11b/g/n 2.4GHz Wi-Fi
USB charger ports
Type A*2 + Type C*2
Type C+USB A: 5V DC 4.8A Max.
USB A: 5V DC 2.4A Max. per port
240V~, 50Hz, 13A



BNPS-50/E81WT 4 Way Wi-Fi Power Strip with 4 ports USB

APP remote control
Four outlets individual control
Up to 15 ON/OFF programs daily
With output indicator
With surge protector
With earth protector
With manual ON/OFF function
Amazon alexa and Google assistant control
Support 802.11b/g/n 2.4GHz Wi-Fi
USB charger ports
Type A*2 + Type C*2
Type C+USB A: 5V DC 4.8A Max.
USB A: 5V DC 2.4A Max. per port
240V-, 50Hz, 13A







BNPS-50/E80Q 3 Way Power Strip with 4 ports USB

With output indioator
With surge protector
With earth protector
With manual ON/OFF function
USB charger ports
Type A*2 + Type C*2
QC/PD/Samsung-AFC/Huawei-FCP
Type C: 20W Max.
Type C+USB A: 5V DC 3.0A Max.
USB A: 5V DC 2.4A Max. per port
240V~. 50Hz. 13A



BNPS-50/E81Q 4 Way Power Strip with 4 ports USB

With output indicator
With surge protector
With earth protector
With manual ON/OFF function
USB charger ports
Type A*2 + Type O*2
QC/PD/Samsung-AFC/Huawei-FCP
Type C: 20W Max.
Type C+USB A: 5V DC 3.0A Max.
USB A: 5V DC 2.4A Max. per port
240V~, 50Hz, 13A